## Amendments to the Claims:

Please amend Claims 1-4 as follows. Cancel Claims 5 and 6. The changes are shown with strikethrough for deleted matter and <u>underlining</u> for added matter. A complete listing of the claims is set out below with proper claim identifiers.

(Currently amended) A <u>process for producing</u> polyorganosiloxane-containing graft copolymer, <u>comprising</u>; <del>prepared by</del> <u>preparing a polyorganosiloxane latex (A).</u>

polymerizing 0 to 10 parts by weight of a vinyl monomer (D) comprising

100 to 50 percent by weight of a polyfunctional monomer (B) containing at least two polymerizable unsaturated bonds and

0 to 50 percent by weight of another copolymerizable monomer (C) in the presence of 30 to 95 parts by weight of a the polyorganosiloxane latex (A), and then polymerizing 5 to 70 parts by weight of a vinyl monomer (E) (the sum of (A), (D), and (E) being 100 parts by weight);

wherein the polyorganosiloxane latex (A) is prepared by emulsion polymerization of a linear or branched siloxane having a terminal group selected from a hydroxyl group, an amino group, and a hydrolysable group, and then

0.1 to 10 percent by weight of a graft crosslinking agent based on an amount of the linear or branched siloxane; and

wherein the linear or branched siloxane contains 0.7 percent by weight or less of a cyclic, low-molecular weight siloxane having 10 or less silicon atoms and wherein the graft crosslinking agent has 2 or more hydrolysable group and a vinyl group.

- (Currently amended) The <u>process for producing</u> polyorganosiloxanecontaining graft copolymer according to Claim 1, wherein the vinyl monomer (D) is 0.1 to 10 parts by weight.
- (Currently amended) The <u>process for producing polyorganosiloxane-</u> containing graft copolymer according to Claim 1 or 2,

wherein a radical initiator (F) having a water solubility of 0.5 g/100 g (20°C) or more is used in polymerizing the (D) and/or the (E).

- 4. (Currently amended) The <u>process for producing polyorganosiloxane-containing graft copolymer according to any one of Claims 1 to 3,</u> wherein the vinyl monomer (E) is at least one monomer selected from the group consisting of an aromatic vinyl monomer, a vinylcyanide monomer, a (meth)acrylate monomer, and a carboxyl group-containing vinyl monomer.
  - 5. (Canceled)
  - (Canceled)